

300 E. Mineral Ave., Suite 10 Littleton, CO 80122-2631 303/781-8211 303/781-1167 Fax

October 30, 2006

Fluid Minerals Group
Bureau of Land Management
Vernal Field Office
170 South 500 East
Vernal, Utah 84078

RE: Application for Permit to Drill—Dominion Exploration & Production, Inc. KC 14-33E; 712' FSL & 1,807' FWL, SE/4 SW/4, Section 33, T10S, R19E, SLB&M, Uintah County, Utah

Dear Fluid Minerals Group:

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and three copies of the Application for Permit to Drill (APD) for the above referenced BLM administered vertical well. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout;

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Carla Christian of Dominion at 405-749-5263 if you have any questions or need additional information.

Sincerely,

Don Hamilton

Don Hamilton
Agent for Dominion

cc: Diana Whitney, Division of Oil, Gas and Mining Carla Christian, Dominion Ken Secrest, Dominion RECEIVED

NOV 0 1 2006

DIV. OF OIL, GAS & MINING



Form 3160-3 (February 2005)			FORM AF OMB No. ! Expires Ma	
UNITED STATES DEPARTMENT OF THE II BUREAU OF LAND MAN		5. Lease Serial No. UTU-49522		
APPLICATION FOR PERMIT TO I			6. If Indian, Allotee o	r Tribe Name
la. Type of work: DRILL REENTE	R		7 If Unit or CA Agrees N/A	ment, Name and No.
lb. Type of Well: ☐ Oil Well Gas Well ☐ Other	Single Zone Multip	de Zone	8. Lease Name and W KC 14-33E	ell No.
2 Name of Operator Dominion Exploration & Production, In				47-3878
Oklahoma City, OK 73134	3b. Phone No. (include area code) 405-749-5263		10. Field and Pool, or Ex undesignated	eploratory
A. Location of Well (Report location clearly and in accordance with any State requirements.*) 39,898 148 At surface 712' FSL & 1,807' FWL, SE/4 SW/4, 603518 × -109.789124 At proposed prod. zone 712' FSL & 1,807' FWL, SE/4 SW/4, 4416945			-	
14. Distance in miles and direction from nearest town or post office* 14.44 miles southwest of Ouray, Utah			12. County or Parish Uintah	13. State UT
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 712'	cation to nearest		g Unit dedicated to this week	eil
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 1,250'	19. Proposed Depth 10,000'	20. BLM/BIA Bond No. on file WY 3322		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5,375' GR				
The following, completed in accordance with the requirements of Onshor	24. Attachments	ttached to thi	s form:	
Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).	Bond to cover t item 20 above). Lands, the 5. Operator certification.	he operation	ns unless covered by an o	
25. Signature Don Hamilton	Name (Printed Typed) Don Hamilton			Date: 10/30/2006
Agent for Donainica	Nunc (Printed Typed)			Date
Title Title	BRADLEY omænvironmenta			11-07-06
Application approval does not warrant or certify that the applicant hold conduct operations thereon. Conditions of approval if any are attached	ls legal or equitable title to those rigi	nts in the sub	ject lease which would er	title the applicant to

*(Instructions on page 2)

CONFIDENTIAL


RECEIVED NOV 0 1 2006

Federal Approval of this Action is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DIV. OF OIL, GAS & MINING

T10S, R19E, S.L.B.&M.



LEGEND:

= 90° SYMBOL

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.

LATITUDE = 39'53'53.48" (39.898189)

LONGITUDE = 109'47'23.29" (109.789803)

(NAD 27)

LATITUDE = 39'53'53.61" (39.898225)

LONGITUDE = 109°47'20.78" (109.789106)

DOMINION EXPLR. & PROD., INC.


Well location, KINGS CANYON #14-33E, located as shown in the SE 1/4 SW 1/4 of Section 33, T10S, R19E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



SCALE

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE OF WE OR UNDER MY SUPERVISION AND THAT THE SAME ARE THE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLET

REGISTERED LAND AURVEYOR REGISTRATION, NO. 161319. STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 03-21-06	DATE DRAWN: 03-24-06
PARTY T.A. S.M. P.M.	REFERENCES G.L.O. PLA	AT
WEATHER	FILE	
COOL	DOMINION EXPI	R & PROD INC

DRILLING PLAN

APPROVAL OF OPERATIONS

Attachment for Permit to Drill

Name of Operator:

Dominion Exploration & Production

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

Kings Canyon 14-33E

712' FSL & 1807' FWL Section 33-10S-19E Uintah County, UT

1. GEOLOGIC SURFACE FORMATION

Uintah

2. ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

Formation	<u>Depth</u>		
Wasatch Tongue	3,810'		
Green River Tongue	4,160'		
Wasatch	4,290'		
Chapita Wells	5,340'		
Uteland Buttes	6,590'		
Mesaverde	7,440'		

3. ESTIMATED DEPTHS OF ANTICIPATED WATER. OIL, GAS OR MINERALS

Formation	<u>Depth</u>	<u>Type</u>	
Wasatch Tongue	3,810'	Oil	
Green River Tongue	4,160'	Oil	
Wasatch	4,290'	Gas	
Chapita Wells	5,340'	Gas	
Uteland Buttes	6,590'	Gas	
Mesaverde	7,440'	Gas	

4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

Type	Size	Weight	<u>Grade</u>	Conn.	<u>Top</u>	Bottom	<u>Hole</u>
Surface	8-5/8"	32.0 ppf	J-55	STC	0,	2,000	12-1/4"
Production	5-1/2"	17.0 ppf	MAV-80	LTC	0'	10,000	7-7/8"

Note: The drilled depth of the surface hole and the setting depth of the surface casing may vary from 1,700' to 2,000'. Should a lost circulation zone be encountered while drilling, casing will be set approximately 300' below the lost circulation zone. If no lost circulation zone is encountered, casing to be set at 2,000'±.

5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

<u>Surface hole</u>: No BOPE will be utilized. Air foam mist, rotating head and diverter system will be utilized. <u>Production hole</u>: Prior to drilling out the surface casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from surface to total depth. The blind rams will be tested once per day from surface to total depth if operations permit.

DRILLING PLAN

APPROVAL OF OPERATIONS

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling out surface casing shoe and anytime a new casing string is set. All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

6. MUD SYSTEMS

- An air or an air/mist system may be used to drill to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.
- The mud system will be monitored manually/visually.

<u>Depths</u>	Mud Weight (ppg)	Mud System
0' - 2,000'	8.4	Air foam mist, rotating head and diverter
2,000' - 10,000'	8.6	Fresh water/2% KCL/KCL mud system

7. BLOOIE LINE

- An automatic igniter will not be installed on blooic line. The blooic will have a constant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 80' from the wellhead.

8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

9. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to surface casing.
- The gamma ray will be left on to record from total depth to surface casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to surface casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H2S gas.

11. WATER SUPPLY

- · No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

DRILLING PLAN

APPROVAL OF OPERATIONS

12. CEMENT SYSTEMS

a. Surface Cement:

- Drill 12-1/4" hole to 2,000'±, run and cement 8-5/8" to surface (depth to vary based on depth of lost circulation zone).
- Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
- Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug one joint off bottom e) bottom three joints thread locked f) pump job with bottom plug only. Casing to be centralized with a total of 8 centralizers.
- Cement the casing annulus to surface. Top out jobs to be performed if needed. Depending to depth of top of
 cement in the annulus, a 1" tubing string may or may not be utilized.

					Hole	<u>Cement</u>
Type	Sacks	Interval	Density	<u>Yield</u>	Volume	<u>Volume</u>
Lead	219	0'-1,500'	11.0 ppg	3.82 CFS	619 CF	836 CF
Tail	236	1,500'-2,000'	15.6 ppg	1.18 CFS	206 CF	279 CF
Top Out	100	0'-200'	15.6 ppg	1.18 CFS	87 CF	118 CF

Surface design volumes based on 35% excess of gauge hole.

Lead Mix: Halliburton Premium Plus V blend. Blend includes Class "G" cement, gel, salt, gilsonite.

Slurry yield: 3.82 cf/sack Slurry weight: 11.00 #/gal.

Water requirement: 22.95 gal/sack

Tail Mix: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

Top Out: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

c. Production Casing Cement:

- Drill 7-7/8" hole to 10,000'±, run and cement 5 1/2".
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H20 spacer.
- Displace with 2% KCL.
- Production casing to be centralized with 30 centralizers.

					<u>Hole</u>	<u>Cement</u>
Type	Sacks	<u>Interval</u>	Density	<u>Yield</u>	<u>Volume</u>	<u>Volume</u>
Lead	90	3,490'-4,290'	11.5 ppg	3.12 CFS	139 CF	277 CF
Tail	1140	4,290'-10,000'	13.0 ppg	1.75 CFS	989 CF	1979 CF

Production design volumes are estimates based on 35% excess of gauge hole. Actual volumes will be calculated from caliper log to bring lead cement to 800' above top of Wasatch + 15% excess, and tail cement to top of Wasatch + 15% excess.

Lead Mix: Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.

Slurry yield: 3.12 cf/sack Slurry weight: 11.60 #/gal.

Water requirement: 17.71 gal/sack
Compressives (a) 130°F: 157 psi after 24 hours

Tail Mix: Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322,

& HR-5.

Slurry yield: 1.75 cf/sack Slurry weight: 13.00 #/gal.

Water requirement: 9.09 gal/sack

Compressives (a) 165°F: 905 psi after 24 hours

13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date:

June 1, 2007

Duration:

14 Days

SURFACE USE PLAN

CONDITIONS OF APPROVAL

Attachment for Permit to Drill

Name of Operator:

Dominion Exploration & Production

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

Kings Canyon 14-33E 712' FSL & 1807' FWL

Section 33-10S-19E Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The BLM onsite inspection for the referenced well was conducted on Wednesday, May 3, 2006 at approximately 10:00 am. In attendance at the onsite inspection were the following individuals:

Karl Wright

Brandon McDonald

Ken Secrest

Brandon Bowthorpe

Billy McClure

Randy Jackson Don Hamilton Nat. Res. Prot. Spec.

Wildlife Biologist Field Foreman

Surveyor

Foreman

Foreman

Agent

 $Bureau\ of\ Land\ Management-Vernal$

Bureau of Land Management - Vernal

Dominion E & P, Inc.

Uintah Engineering & Land Surveying

LaRose Construction

Jackson Construction Buys & Associates, Inc.

1. Existing Roads:

- a. The proposed well site is located approximately 14.44 miles southwest of Ouray, UT.
- b. Directions to the proposed well site have been attached at the end of Exhibit B.
- c. The use of roads under State and County Road Department maintenance are necessary to access the Kings Canyon area. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- All existing roads will be maintained and kept in good repair during all phases of operation.
- Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate with road and weather conditions.
- f. Since no improvements are anticipated to any State, County, Tribal or BLM access roads no topsoil striping will occur.
- g. An off-lease federal right-of-way is not anticipated for the access road or utility corridor since both are located within the existing federal lease area.

2. Planned Access Roads:

- a. From the proposed KC 11-33E access road an access is proposed trending east approximately 0.1 miles to the proposed well site. The access consists of entirely new disturbance and crosses no significant drainages.
- b. A road design plan is not anticipated at this time.
- c. The proposed access road will consist of a 24' travel surface within a 30' disturbed area across BLM lands.
- d. BLM approval to construct and utilize the proposed access road is requested with this application.
- e. A maximum grade of 10% will be maintained throughout the project.
- f. No turnouts are proposed.
- g. No low water crossings and no culverts are anticipated. Adequate drainage structures will be incorporated into the road.
- h. No surfacing material will come from federal or Indian lands.
- i. No gates or cattle guards are anticipated at this time.
- j. Surface disturbance and vehicular travel will be limited to the approved location access road.
- k. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards for Oil and Gas Exploration and Development</u> (1989).
- The operator will be responsible for all maintenance of the access road including drainage structures.

3. Location of Existing Wells:

a. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

4. <u>Location of Production Facilities:</u>

- All permanent structures will be painted a flat, non-reflective Carlsbad Canyon to match the standard environmental colors. All facilities will be painted within six months of installation.
 Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.
- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient

capacity to contain the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.

- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the west side of the well site and traverse 1,082' west to the proposed KC 11-33E pipeline corridor.
- i. The new gas pipeline will be a 10" or less steel surface line within a 20' wide utility corridor. The use of the proposed well site and access roads will facilitate the staging of the pipeline construction. A new pipeline length of approximately 1,082' is associated with this well.
- j. Dominion intends on installing the pipeline on the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.

5. <u>Location and Type of Water Supply:</u>

a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- b. No construction materials will be removed from Ute Tribal or BLM lands.
- c. If any gravel is used, it will be obtained from a state approved gravel pit,

7. <u>Methods of Handling Waste Disposal:</u>

- a. All wastes associated with this application will be contained and disposed of utilizing approved facilities.
- b. Drill cuttings will be contained and buried on site.
- c. The reserve pit will be located outboard of the location and along the south side of the pad.
- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.

- e. The reserve pit will be lined with 16 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.
- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. Produced water from the production well will be disposed of at the RBU 13-11F or RBU 16-19F disposal wells in accordance with Onshore Order #7.
- 1. Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

8. Ancillary Facilities:

a. Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.

9. Well Site Layout: (See Exhibit B)

- a. The well will be properly identified in accordance with 43 CFR 3162.6.
- b. Access to the well pad will be from the west.
- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with responsible company representative, contractors and the BLM will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size as shown on the location layout; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- h. Diversion ditches will be constructed as shown around the well site to prevent surface waters form entering the well site area.
- The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.
- k. Pits will remain fenced until site cleanup.
- 1. The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

10. Plans for Restoration of the Surface (Interim Reclamation and Final Reclamation):

- a. Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be re-contoured to the approximate natural contours.
- c. Following BLM published Best Management Practices the interim reclamation will be completed within 90 days of completion of the well to reestablish vegetation, reduce dust and erosion and compliment the visual resources of the area.
 - a. All equipment and debris will be removed from the area proposed for interim

reclamation and the pit area will be backfilled and re-contoured.

b. The area outside of the rig anchors and other disturbed areas not needed for the operation of the well will be re-contoured to blend with the surrounding area and reseeded at 12 lbs /acre with the following native grass seeds:

1. Crested Wheat Grass

(4 lbs / acre)

2. Needle and Thread Grass

(4 lbs / acre)

3. Rice Grass

(4 lbs / acre)

- c. Reclaimed areas receiving incidental disturbance during the life of the producing well will be re-contoured and reseeded as soon as practical.
- d. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- e. Prior to final abandonment of the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the BLM. The BLM recommended seed mix will be detailed within their approval documents.

11. Surface and Mineral Ownership:

- a. Surface Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.
- b. Mineral Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

12. Other Information:

- a. AIA Archaeological has conducted a Class III archeological survey. A copy of the report hs been submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Alden Hamblin has conducted a paleontological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by Alden Hamblin.
- c. Our understanding of the results of the onsite inspection are:
 - a. No Threatened and Endangered flora and fauna species were found during the onsite inspection.
 - No drainage crossings that require additional State or Federal approval are being crossed.
 - c. The project is located in an area of known wild horse populations and will likely contain standard wild horse stipulations and restrictions.
 - d. The project is located in an area of known burrowing owl habitat and will likely contain standard burrowing owl stipulations and restrictions.


13. Operator's Representative and Certification

Title	Name	Office Phone
Company Representative (Roosevelt)	Ken Secrest	1-435-722-4521
Company Representative (Oklahoma)	Carla Christian	1-405-749-5263
Agent for Dominion	Don Hamilton	1-435-637-4075

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filling of a false statement.


Signature: Don Hamilton Date: 10-30-06




DOMINION EXPLR. & PROD., INC. KINGS CANYON #14-33E SECTION 33, T10S, R19E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88: EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.1 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN RIGHT AND PROCEED IN A NORTHERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING TWO-TRACK ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY, THEN NORTHERLY DIRECTION APPROXIMATELY 5.2 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #11-33E TO THE NORTHEAST: FOLLOW ROAD FLAGS IN A NORTHEASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE EAST: FOLLOW ROAD FLAGS IN AN EASTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 61.2 MILES.





DOMINION EXPLR. & PROD., INC.

KINGS CANYON #14-33E

LOCATED IN UINTAH COUNTY, UTAH SECTION 33, 9S, R19E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: EASTERLY




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


03 22 06 MONTH DAY YEAR


РНОТО


TAKEN BY: T.A. | DRAWN BY: B.C. | REVISED: 00-00-00












			Article Control of the Control of th		
APD RECEIVED: 11/01/2006	API NO. ASSIGN	NED: 43-047	-38783		
WELL NAME: KC 14-33E					
OPERATOR: DOMINION EXPL & PROD (N1095)	PHONE NUMBER:	405-749-5263	3		
CONTACT: DON HAMILTON		5.06.1			
CONTACT: DON HAMILITON			-1441/B/FU		
PROPOSED LOCATION:	INSPECT LOCATN	BY: /	/		
SESW 33 100S 190E SURFACE: 0712 FSL 1807 FWL	Tech Review	Initials	Date		
BOTTOM: 0712 FSL 1807 FWL	Engineering				
COUNTY: UINTAH	Geology				
LATITUDE: 39.89815 LONGITUDE: -109.7891 UTM SURF EASTINGS: 603518 NORTHINGS: 4416945	Surface		-		
FIELD NAME: NATURAL BUTTES (630)					
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-49522 SURFACE OWNER: 1 - Federal	PROPOSED FORMAT COALBED METHANE)		
RECEIVED AND/OR REVIEWED:	LOCATION AND SITING:				
/ Plat	R649-2-3.				
Bond: Fed[1] Ind[] Sta[] Fee[]					
(No. WY 3322)	Unit:				
N Potash (Y/N)	✓ R649-3-2. Genera	al			
N Oil Shale 190-5 (B) or 190-3 or 190-13	Siting: 460 From Qt	r/Qtr & 920' Be	etween Wells		
Water Permit	R649-3-3. Except	R649-3-3. Exception			
(No. 43-10447)	Deilling Imit				
RDCC Review (Y/N)	Drilling Unit Board Cause No:				
(Date:)	Eff Date:				
사와 Fee Surf Agreement (Y/N)	Siting:				
NAM Intent to Commingle (Y/N)	R649-3-11. Dired	ctional Dril	.1		
COMMENTE C.					
COMMENTS:					
STIPULATIONS: 1- fe de M. Opprino 2- Spading Stip					





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

November 7, 2006

Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134

Re: KC 14-33E Well, 712' FSL, 1807' FWL, SE SW, Sec. 33, T. 10 South, R. 19 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-38783.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc: Uintah County Assessor (via e-mail)

Bureau of Land Management, Vernal District Office

Operator:	Dominion Exploration & Production, Inc.
Well Name & Number	KC 14-33E
API Number:	43-047-38783
Lease:	UTU-49522

Location: <u>SE SW</u>

Sec. 33

T. 10 South

R. 19 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING 1. DJJ 2. CDW

X -	Change	of Operator	(Well Sold)
4 N -	CHAREC	or Oberator	(II CII DUIU

A - Change of Operator (Wen Sold)			Opera	tor name	Change/Merg	er	
The operator of the well(s) listed below has chang	ged, effe	ective:			7/1/2007		
FROM: (Old Operator):			TO: (New O	perator):			
N1095-Dominion Exploration & Production, Inc			N2615-XTO E	- ,			
14000 Quail Springs Parkway, Suite 600				ouston St			
Oklahoma City, OK 73134			Fort W	orth, TX 76	5102		
				•			
Phone: 1 (405) 749-1300		-	Phone: 1 (817)	870-2800			
CA No.			Unit:				
WELL NAME	SEC T	WN RNO	API NO	1	LEASE TYPE		WELL
2002				NO		TYPE	STATUS
SEE ATTACHED LIST			<u> </u>	<u></u>	<u> </u>		<u> </u>
OPPDATOD OUANOES DOCUMENTS	\TI^'	N					
OPERATOR CHANGES DOCUMENTA	411U	L♥					
Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation wa	z recei	ed from 4	· FODMED	irator on	8/6/2007		
· · · · · · · · · · · · · · · · · · ·			-			,	
2. (R649-8-10) Sundry or legal documentation wa					8/6/2007		0///000=
3. The new company was checked on the Departm		commerc	•	-			8/6/2007
4a. Is the new operator registered in the State of U			Business Numb	per:	5655506-0143		
4b. If NO, the operator was contacted contacted of			****** · ·				
5a. (R649-9-2)Waste Management Plan has been re-		on:	IN PLACE	-			
5b. Inspections of LA PA state/fee well sites compl			n/a	_			
5c. Reports current for Production/Disposition & St	undries	on:	ok	_			
6. Federal and Indian Lease Wells: The BL	M and c	or the BIA	has approved the	merger, na	me change,		
or operator change for all wells listed on Federa	l or Ind	lian leases	on:	BLM		BIA	
7. Federal and Indian Units:							
The BLM or BIA has approved the successor	of unit	operator fo	r wells listed on	:			
8. Federal and Indian Communization Ag	reemer	ıts ("CA'	') :				
The BLM or BIA has approved the operator f							
9. Underground Injection Control ("UIC"	•				orm 5, Transfer	of Autho	ority to
Inject, for the enhanced/secondary recovery un	it/projec	ot for the w	ater disposal we	ll(s) listed o	n:		,
DATA ENTRY:							
1. Changes entered in the Oil and Gas Database			9/27/2007	-			
2. Changes have been entered on the Monthly Op	erator	Change S	•		9/27/2007		
3. Bond information entered in RBDMS on:			9/27/2007	-			
4. Fee/State wells attached to bond in RBDMS on			9/27/2007	-			
5. Injection Projects to new operator in RBDMS of6. Receipt of Acceptance of Drilling Procedures for		New on:	9/27/2007	9/27/2007			
BOND VERIFICATION:	n ALDI	THOW UII.		712112001	-		
Federal well(s) covered by Bond Number:			UTB000138				
2. Indian well(s) covered by Bond Number:			n/a	-			
3a. (R649-3-1) The NEW operator of any state/fee	e well(s)) listed cov		- umber	104312762		
3b. The FORMER operator has requested a release		•	•	1/23/2008			
The Division sent response by letter on:		الملاكمة ريست	U		•		
LEASE INTEREST OWNER NOTIFIC	ATIO	N:					
4. (R649-2-10) The NEW operator of the fee wells			1 and informed h	v a letter fro	om the Division		
of their responsibility to notify all interest owner				J 20001 111			
COMMENTS:							

STATE OF UTAH

	DEPARTMENT OF NATURAL RESOURD IVISION OF OIL, GAS AND MI			5. LEAS	E DESIGNATION AND SERIAL NUMBER:
		·			
SUNDRY	NOTICES AND REPORTS	S ON WEL	LS	6. IF IN	DIAN, ALLOTTEE OR TRIBE NAME:
	ew wells, significantly deepen existing wells below cur terals. Use APPLICATION FOR PERMIT TO DRILL f	rent bottom-hole dep orm for such proposa	h, reenter plugged wells, or to ls.	7. UNIT	or CA AGREEMENT NAME:
TYPE OF WELL OIL WELL	GAS WELL 🗹 OTHER_			1	NAME and NUMBER:
2. NAME OF OPERATOR:					IUMBER:
XTO Energy Inc.	N2615				E ATTACHED
3. ADDRESS OF OPERATOR: 810 HC		76102	PHONE NUMBER: (817) 870-2800		d and pool, or wildcat: atural Buttes
4. LOCATION OF WELL	TOTAL TX AND	70102	10111010-2000	,	
FOOTAGES AT SURFACE: SEE A	TTACHED			COUNT	r: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:			STATE:	UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	ORT, OF	R OTHER DATA
TYPE OF SUBMISSION			YPE OF ACTION		
NOTICE OF INTENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	☐ NEW CONS	FRUCTION		TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	✓ OPERATOR	CHANGE		TUBING REPAIR
	CHANGE TUBING	PLUG AND	NBANDON		VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK			WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTIO	ON (START/RESUME)		WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS		ON OF WELL SITE		OTHER:
	CONVERT WELL TYPE		TE - DIFFERENT FORMATION		
	MPLETED OPERATIONS. Clearly show all p				
Effective July 1, 2007, 2	KTO Energy Inc. has purchased	the wells liste	d on the attachme	nt from:	
Dominion Exploration & 14000 Quail Springs Pa		5			
Oklahoma City, OK 731	34				
b. m	اريد ديدا م	0 (0			
James D. Abercrombie	mondei (405) 74	9-1300			
	neral Manager - Western Busines				
Diago be advised that	VTO Energy Inc. is considered t	a ha tha ana	rator on the attache	ad lint an	d ia raananaihla
	XTO Energy Inc. is considered to anditions of the lease for the oper				
	ide BLM Bond #104312750 and I				
		•			
,					
· · · · · · · · · · · · · · · · · · ·					
NAME (PLEASE PRINT) Edwin S. F	Rvan, Jr.		Sr. Vice Preside	ent - Lan	d Administration
	11, 1				<u> </u>
SIGNATURE COULT	h Fifurith	DATI	7/31/2007		
This space for State use only)	_		<u> </u>		RECEIVED
A DDD ATTE	9121107				KEUEIVLU
APPROVEL	1101101				AUG 0 6 2007
Co. love R	LANGE !				, , , , , , , , , , , , , , , , , , , ,

(5/2000)

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

	name:	SEE ATTACH	IED LIS I			
API r	number:					
Loca	ition:	Qtr-Qtr:	Section:	Township Range		
Com	pany that filed original application:	DOMINION E	&P			
Date	original permit was issued:					
Com	pany that permit was issued to:	DOMINION I	E&P			
Check one			red Action:			
	Transfer pending (unapproved) App	olication for Pe	rmit to Drill to ne	ew operator		
	The undersigned as owner with legal submitted in the pending Application for owner of the application accepts and a	or Permit to Dril	I, remains valid ar	nd does not require revision. The	new	
$\overline{\checkmark}$	Transfer approved Application for F	Permit to Drill t	o new operator			
	The undersigned as owner with legal information as submitted in the previo revision.	rights to drill on usly approved a	the property as perpendication to drill,	ermitted, hereby verifies that the remains valid and does not requir	re	
Follo	owing is a checklist of some items re	ated to the ap	olication, which	should be verified.	Yes	No
If loc	ated on private land, has the ownership	changed?				1
	If so, has the surface agreement beer	updated?				
requ	e any wells been drilled in the vicinity of irements for this location?					✓
prop	e there been any unit or other agreemer osed well?					✓
Have	e there been any changes to the access osed location?	route including	ownership or righ	t-of-way, which could affect the		✓
Has	the approved source of water for drilling	changed?				✓
1 1-1-1	e there been any physical changes to the sfrom what was discussed at the onsite	e surface location?	on or access route	which will require a change in		✓
plans			and No. 104312	762	1	
plans	onding still in place, which covers this pr	oposed well? B	ond No.			

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application to Permit to Drill.

AUG 3 0 2007

(3/2004)

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

api	well name	qtr qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4303930028	SKYLINE U 14-28	SESW	28			UTU-77262		Federal	GW	APD
4303930029	SKYLINE U 8-7	SENE	07			UTU-78415	 	Federal	GW	APD
4304737195	KC 6-33E	SENW	33	1				Federal	ow	APD
4304737196	KC 9-33E	NESE	33			UTU-49522	-	Federal	OW	APD
4304737197	KC 11-33E	NESW	33		1	UTU-49522		Federal	OW	APD
4304738075	LCU 7-9H	NWSE	09			UTU-76265	1	Federal	GW	APD
4304738689	RBU 15-8E	NENE	17			U-013766	+	Federal	GW	APD
4304738783	KC 14-33E	SESW	33			UTU-49522	1	Federal	GW	APD
4304738868	LOVE 12-20G	NWSW	20			UTU-076040		Federal	GW	APD
4304738889	KC 9-31E	NESE	31			UTU-81719		Federal	GW	APD
4304738890	KC 13-31E	SWSW	31		1	UTU-81719	1	Federal	GW	APD
4304738891	KC 12-33E	NWSW	33			UTU-49522	 	Federal	GW	APD
4304738948	KC 14-31E	SESW	31	100S	190E	UTU-081719		Federal	GW	APD
4304738949	KC 3-33E	NENW	33	100S	190E	UTU-49522	1	Federal	GW	APD
4304739051	KC 15-31E	SWSE	31	100S	190E	UTU-81719		Federal	GW	APD
4304739068	KC 7-33E	SWNE	33	100S	190E	UTU-49522		Federal	GW	APD
4304739069	KC 13-33E	SWSW	33	100S	190E	UTU-49522		Federal	GW	APD
4304739070	KC 15-33E	SWSE	33	100S	190E	UTU-49522		Federal	GW	APD
4304739415	WHB 4-5H	NWNW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739416	WHB 12-5H	NWSW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739417	WHB 13-5H	SWSW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739440	WHB 4-8H	NWNW	08	110S	200E	UTU-39223		Federal	GW	APD
4304739441	WHB 5-5H	NWNW	05	110S	200E	UTU-39223		Federal	GW	APD
4304738262	KINGS CYN 9-32E	NESE	32	100S	190E	ML-047059		State	GW	APD
4304738342	LCU 12-12H	NWSW	12	110S	200E	FEE		Fee	GW	APD
4304738378	KINGS CYN 11-32E	NESW	32	100S	190E	ML-047059		State	GW	APD
4304738690	KINGS CYN 11-36D	NESW	36	100S	180E	ML-47058		State	GW	NEW
4304738779	KC 5-36D	SWNW	36	100S	180E	ML-47058		State	GW	APD
4304738781	KC 6-32E	SENW	32	100S		ML-47059		State	GW	APD
4304738782	KC 15-32E	NWSE	32	100S		ML-047059		State	GW	APD
4304738786	AP 11-2J	NESW	02	110S		ML-36213		State	GW	APD
4304738787	AP 13-2J	SWSW	02	110S		ML-36213		State	GW	APD
4304738950	KC 13-32E	SESW	32			ML-047059		State	GW	APD
4304739218	KC 14-32E	SESW	32	100S		ML-047059		State	GW	APD
4304739219	KC 16-32E	SESE	32	100S		ML-047059		State	GW	APD
4304739222	LCU 14-12H	SESW	12	110S	200E			Fee	GW	APD
4304739315	AP 12-2J	NWSW	02	110S	190E	ML-36213		State	GW	NEW

09/27/2007

STATE OF UTAH

DEPARTMEN DIVISION C SUNDRY NOTICE Do not use this form for proposals to drill new wells, significant of a horizontal laterals. Use APPLI 1 TYPE OF WELL OIL WELL GAS 2 NAME OF OPERATOR:	5. LEASE DESIGNATION AND SERIAL NUMBER UTU-49522 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A 7. UNIT or CA AGREEMENT NAME: Undesignated 8. WELL NAME and NUMBER: KC 14-33E 9. API NUMBER:		
XTO Energy			4304738783
3. ADDRESS OF OPERATOR: P.O. Box 1360 CITY Roosevel	t CO 84066	PHONE NUMBER: (435) 722-4521	10. FIELD AND POOL, OR WILDCAT: Undesignated
FOOTAGES AT SURFACE: 712' FSL & 1,807	'FWL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: \$			STATE: UTAH
11. CHECK APPROPRIATE	BOXES TO INDICATE NATURE	OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	T	YPE OF ACTION	
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE CHANGE CHANGE	REPAIR PRACTURE REPAIR NEW CONS E TO PREVIOUS PLANS OPERATOR E TUBING PLUG AND E WELL NAME PLUG BACK E WELL STATUS PRODUCTION IGLE PRODUCING FORMATIONS RECLAMAT	TRUCTION CHANGE ABANDON	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER: Permit Extension
XTO Energy hereby requests a one y This is the first extension that has be		or the referenced we by the	
	Date: Date:	O-OTO	
NAME (PLEASE PRINT) Marnie Griffin	TIT	10/3/2007	nergy
SIGNATURE	DA	TE 10/0/2007	
(This space for State use only)			DECE 1

(5/2000)

(See Instructions on Reverse Side)

DIV OF OIL, GAS & MINING

Application for Permit to Drill Request for Permit Extension

Validation
(this form should accompany the Sundry Notice requesting permit extension)

Well Name: Location: Company Per	4304738783 KC 14-33E 33 10S 19E 712' FSI mit Issued to: Permit Issued:	XTO Energy					
above, hereby	verifies that the	legal rights to drill on the information as submitted mains valid and does no	I in the previously				
Following is a verified.	checklist of some	e items related to the app	olication, which should be	:			
•	rivate land, has t en updated? Yes	he ownership changed, i □No☑	f so, has the surface				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□ No ☑							
		er agreements put in plac proposed well? Yes□No					
		to the access route inclu proposed location? YesE	ding ownership, or right- ⊒ No ⊠				
Has the appro-	ved source of wa	ater for drilling changed?	Yes□No☑				
Have there be- which will requ evaluation? Ye	ire a change in p	changes to the surface lo plans from what was disc	ocation or access route cussed at the onsite				
Is bonding still	in place, which o	covers this proposed we	ll? Yes⊠No□				
\mathcal{N}			103 2007				
Signature			Date				
Title: Agent							
Representing:	XTO Energy						

STATE OF UTAH

DEPARTM	ENT OF NATURAL RESOURCES	, 5,,,,,
	OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522
SUNDRY NOTIC	ES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
	cantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to PLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: Undesignated
1. TYPE OF WELL OIL WELL G	AS WELL 🗸 OTHER	8. WELL NAME and NUMBER: KC 14-33E
2. NAME OF OPERATOR: XTO Energy, Inc.		9. API NUMBER: 4304738783
3. ADDRESS OF OPERATOR:	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
P.O. Box 1360 CITY Roosev	elt _{STATE} UT _{ZIP} 84066 (435) 722-4521	Undesignated
FOOTAGES AT SURFACE: 712' FSL & 1,80	7' FWL	COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN	33 10S 19E S	STATE: UTAH
11. CHECK APPROPRIAT	E BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
ACIDIZ	ZE DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate) ALTER	R CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASIA	IG REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHAN	GE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
	GE TUBING PLUG AND ABANDON	VENT OR FLARE
	GE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	GE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	AINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ отнек: Permit Extension
	VERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
XTO Energy, Inc. hereby requests This is the second extension that h	a one year extension of the state permit for the reference as been requested. Approved by the Utah Division of Oil, Gas and Mining Date: 10/31/08 By:	ed well.
NAME (PLEASE PRINT) Kendell Johnson	ΤΙΤΙΕ Agent for XTO E	Energy, Inc.
SIGNATURE SIGNATURE	DATE 9/22/2008	
(This space for State use only) COPY SENT TO 0 (5/2000) Date: 10 30 r Initials: 15	(See Instructions on Reverse Side)	DECEIVE OCT 2 7 2008 DIV OF OIL, GAS & MINING



4304738783

API:

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

Well Name: KC 14-33E Location: 712' FSL & 1,807' FWL Sec. 33, 10S-19E Company Permit Issued to: XTO Energy, Inc. Date Original Permit Issued: 11/7/2006	
The undersigned as owner with legal rights to drill on the above, hereby verifies that the information as submitted approved application to drill, remains valid and does not be approved.	d in the previously
Following is a checklist of some items related to the ap verified.	plication, which should be
If located on private land, has the ownership changed, agreement been updated? Yes⊡No⊠	if so, has the surface
Have any wells been drilled in the vicinity of the propose the spacing or siting requirements for this location? Ye	
Has there been any unit or other agreements put in pla permitting or operation of this proposed well? Yes⊟No	
Have there been any changes to the access route incluor- of-way, which could affect the proposed location? Yesl	
Has the approved source of water for drilling changed?	? Yes⊡No⊠
Have there been any physical changes to the surface I which will require a change in plans from what was dis evaluation? Yes□No☑	
Is bonding still in place, which covers this proposed we	all? Yes⊠No□
Kendell Johnson	9/22/2008
Signature	Date
Title: Kendell Johnson	
Representing: XTO Energy, Inc.	

Form 3160-3 FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010 (August 2007) UNITED STATES 5. Lease Serial No. DEPARTMENT OF THE INTERIOR UTU-49522 BUREAU OF LAND MANAGEMENT 6. If Indian, Allotee or Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER 7 If Unit or CA Agreement, Name and No. **✓** DRILL REENTER la. Type of work: N/A 8. Lease Name and Well No. Oil Well Gas Well lb. Type of Well: Single Zone / Multiple Zone KC 14-33E Name of Operator 9. API Well No. XTO Energy, Inc. 43-047-38783 3a. Address PO Box 1360; 978 North Crescent Road 3b. Phone No. (include area code) 10. Field and Pool, or Exploratory 435-722-4521 Roosevelt, UT 84066 Natural Buttes 11. Sec., T. R. M. or Blk. and Survey or Area 4. Location of Well (Report location clearly and in accordance with any State requirements.*) At surface 712' FSL & 1,807' FWL, SE/4 SW/4, Section 33, T10S, R19E, SLB&M At proposed prod. zone 12. County or Parish 14. Distance in miles and direction from nearest town or post office* 13. State 14.44 miles southwest of Ouray, Utah Uintah UT Distance from proposed* 16. No. of acres in lease 17. Spacing Unit dedicated to this well location to nearest 712' property or lease line, ft. 560 40 acres (Also to nearest drig. unit line, if any) 18. Distance from proposed location* 20. BLM/BIA Bond No. on file 19. Proposed Depth to nearest well, drilling, completed, 1.250' UTB-000138 applied for, on this lease, ft. 10.000' 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 22 Approximate date work will start* 23. Estimated duration 5,375 06/15/2009 14 days 24. Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form: 1. Well plat certified by a registered surveyor. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). 2. A Drilling Plan. 3. A Surface Use Plan (if the location is on National Forest System Lands, the 5. Operator certification SUPO must be filed with the appropriate Forest Service Office). Such other site specific information and/or plans as may be required by the Name (Printed/Typed) Date 25. Signature Don Hamilton 10/30/2006 Title Agent for XTO Energy, Inc. Approved by (Signature) Name (Printed/Typed) Date Title Office

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)



Diana:

Attached are some updated Form 3 APD cover pages for your review. These do not need to be processed because they are already permitted but we changed the operator name on them to reflect XTO Energy, Inc. rather than Dominion and thought they may make a good addition to your files.

Don Hamilton



DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING 5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO 7.UNIT or CA AGREEMENT NAME:						
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO 7.UNIT or CA AGREEMENT NAME:						
bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO 7.UNIT or CA AGREEMENT NAME:						
DRILL form for such proposals.						
1. TYPE OF WELL Gas Well KC 14-33E						
2. NAME OF OPERATOR: XTO ENERGY INC 9. API NUMBER: 43047387830000						
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410 505 333-3159 Ext PHONE NUMBER: 9. FIELD and POOL or WILDCAT: NATURAL BUTTES						
4. LOCATION OF WELL FOOTAGES AT SURFACE: UINTAH 0712 FSL 1807 FWL						
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESW Section: 33 Township: 10.0S Range: 19.0E Meridian: S STATE: UTAH						
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
TYPE OF SUBMISSION TYPE OF ACTION						
☐ ACIDIZE ☐ ALTER CASING ☐ CASING REPAIR ✓ NOTICE OF INTENT						
Approximate date work will start: ☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE TUBING ☐ CHANGE WELL NAME 10/30/2010 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐						
☐ CHANGE WELL STATUS ☐ COMMINGLE PRODUCING FORMATIONS ☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION						
SUBSEQUENT REPORT □ DEEPEN □ FRACTURE TREAT □ NEW CONSTRUCTION Date of Work Completion: □ OPERATOR CHANGE □ PLUG AND ABANDON □ PLUG BACK						
☐ PRODUCTION START OR RESUME ☐ RECLAMATION OF WELL SITE ☐ RECOMPLETE DIFFERENT FORMATION						
SPUD REPORT Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON						
☐ TUBING REPAIR ☐ VENT OR FLARE ☐ WATER DISPOSAL						
☐ DRILLING REPORT ☐ WATER SHUTOFF ☐ SI TA STATUS EXTENSION ✓ APD EXTENSION						
Report Date: WILDCAT WELL DETERMINATION OTHER:						
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.						
XTO hereby requests a one year extension on the State Permit for the refernced well. This well is Federal Minerals and Federal Surface, we are still waiting on APD approval from the BLM. Approved by the Utah Division of Oil, Gas and Mining						
Date: January 21, 2010						
By: Doll Hill						
NAME (PLEASE PRINT) Eden Fine PHONE NUMBER Formitting Clerk						
SIGNATURE DATE 1/15/2010						



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047387830000

API: 43047387830000

Well Name: KC 14-33E

Location: 0712 FSL 1807 FWL QTR SESW SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 11/7/2006

The u	ndersigne	d as owner	with legal	rights to di	rill on the	property a	s permitted	above, he	reby veri	fies that
the in	formation	as submitt	ed in the p	reviously a	pproved a	pplication	to drill, rem	ains válid	and does	not
requir	e revision	. Following	is a check	list of some	items rel	ated to the	application	, which st	nould be v	verified.

require revi	sion. Following is a che	cklist of s	ome items related to t	he applicati	on, wh	ich should be verified.
	ated on private land, ha ed? 问 Yes 🌘 No	s the own	nership changed, if so,	has the sur	face ag	reement been
	any wells been drilled i requirements for this l			ell which wo	ould aff	ect the spacing or
	here been any unit or o s proposed well? 🔘 Y			at could affe	ect the	permitting or operation
	there been any change the proposed location?			wnership, o	or right	of- way, which could
• Has tl	he approved source of v	vater for d	drilling changed?	Yes 📵 No	0	
	there been any physica je in plans from what w					
• Is boı	nding still in place, whic	ch covers t	this proposed well? 🌘	Yes	No Ut	proved by the ah Division of Gas and Mining
Signature:	Eden Fine	Date: 1/	/15/2010			
Title:	Permitting Clerk Repres	enting: X	TO ENERGY INC	Da	ate:	January 21, 2010
	-				1	m cal Ma

By:

	FORM 9		
	NG	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522	
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen ex ıgged wells, or to drill horizontal laterals. Use	isting wells below current APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: KC 14-33E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047387830000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0712 FSL 1807 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SESW Section: 33	Township: 10.0S Range: 19.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION MPLETED OPERATIONS. Clearly show all pertinequests a one (1) year extension referenced well.	ent details including dates, depths, von of the State APD for the	
NAME (PLEASE PRINT) Krista Wilson	PHONE NUMBER	TITLE Permitting Tech	
SIGNATURE N/A	505 333-3647	Permitting Tech DATE 11/8/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047387830000

API: 43047387830000

Well Name: KC 14-33E

Location: 0712 FSL 1807 FWL QTR SESW SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 11/7/2006

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not

				• •	•	nich should be verified.	
	eted on private land ed? 🔵 Yes 📵 N		wnersnip changed	i, it so, nas tne	surrace a	greement been	
	any wells been drill requirements for tl				h would at	fect the spacing or	
	• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No						
	there been any cha the proposed locat			uding ownersh	ip, or righ	of- way, which could	
• Has th	e approved source	of water fo	or drilling changed	l? 🔵 Yes 📵	No		
	there been any phy e in plans from who					which will require a No	
• Is bon	ding still in place,	which cove	rs this proposed v	vell? 🌘 Yes	D No U	oproved by the tah Division of Gas and Mining	
nature:	Krista Wilson	Date:	11/8/2010				
Title:	Permitting Tech Rep	resenting:	XTO ENERGY INC			November 08, 2010	
					I	Of the On	

Sig

By: W

Sundry Number: 20405 API Well Number: 43047387830000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE	TEC .	FORM 9
	DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	sals to drill new wells, significantly deeper gged wells, or to drill horizontal laterals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: KC 14-33E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047387830000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		ONE NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0712 FSL 1807 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SESW Section: 33	P, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	Γ, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
11/15/2011	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK
_	PRODUCTION START OR RESUME	☐ RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	MPLETED OPERATIONS. Clearly show all pe equests a one (1) year extens referenced well.	sion of the State APD for t	
NAME (PLEASE PRINT) Krista Wilson	PHONE NUMBER 505 333-3647	TITLE Permitting Tech	
SIGNATURE N/A		DATE 11/15/2011	

Sundry Number: 20405 API Well Number: 43047387830000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047387830000

API: 43047387830000

Well Name: KC 14-33E

Location: 0712 FSL 1807 FWL QTR SESW SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 11/7/2006

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated?
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Krista Wilson Date: 11/15/2011

Title: Permitting Tech Representing: XTO ENERGY INC

Sundry Number: 31558 API Well Number: 43047387830000

	FORM 9		
ι	3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522	
SUNDR	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal I n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: KC 14-33E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047387830000
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood,		NE NUMBER: Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0712 FSL 1807 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 3 Township: 10.0S Range: 19.0E Meridian: 9	3	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF		CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Pepths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Date: November 13, 2012 By:
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Richard L. Redus SIGNATURE	303 397-3712	Regulatory DATE	
N/A		11/5/2012	

Sundry Number: 31558 API Well Number: 43047387830000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047387830000

API: 43047387830000

Well Name: KC 14-33E

Location: 0712 FSL 1807 FWL QTR SESW SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 11/7/2006

Title: Regulatory

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

rollowing is a ci	necklist of some ite	ins related to the applica	ition, which should	be verified.	
• If located Yes 📵	on private land, has	s the ownership changed	d, if so, has the surf	face agreement been	updated? 🔵
	wells been drilled i	n the vicinity of the prop n? 🔲 Yes 📵 No	oosed well which w	ould affect the spaci	ng or siting
	e been any unit or o well? (Yes (ther agreements put in p No	place that could affe	ect the permitting or	operation of thi
	e been any changes location?	s to the access route inc s No	luding ownership,	or rightof- way, whic	n could affect th
• Has the a	pproved source of v	water for drilling change	d? 🥛 Yes 🃵 I	No	
		I changes to the surface sed at the onsite evaluati		route which will requ No	iire a change in
• Is bondin	g still in place, whic	ch covers this proposed	well? 📵 Yes 🔵	No	
Signature: Rich	nard L. Redus	Date: 11/5/2012			

Representing: XTO ENERGY INC

Sundry Number: 44359 API Well Number: 43047387830000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522
SUNDR	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.	eepen existing wells below al laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: KC 14-33E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047387830000
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood,		PHONE NUMBER: 27 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0712 FSL 1807 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 33 Township: 10.0S Range: 19.0E Meridia	n: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT Approximate date work will start: 7/8/2014 SUBSEQUENT REPORT Date of Work Completion: SPUD REPORT Date of Spud: DRILLING REPORT Report Date: 12. DESCRIBE PROPOSED OR XTO Energy reques	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Depths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Date: November 05, 2013 By:		
NAME (PLEASE PRINT) Sephra Baca	PHONE NUMBE	R TITLE Regulatory Analyst	
SIGNATURE N/A	719 845-2103	DATE 11/4/2013	

Sundry Number: 44359 API Well Number: 43047387830000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047387830000

API: 43047387830000

Well Name: KC 14-33E

Location: 0712 FSL 1807 FWL QTR SESW SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 11/7/2006

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

3 · · · · · · · · · · · · · · · · · · ·
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Sephra Baca Date: 11/4/2013

Title: Regulatory Analyst Representing: XTO ENERGY INC

Sundry Number: 56860 API Well Number: 43047387830000

	FORM 9					
	s IG	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522				
SUNDR	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: KC 14-33E			
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047387830000			
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood,		HONE NUMBER: 7 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0712 FSL 1807 FWL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 33 Township: 10.0S Range: 19.0E Meridiar	: S	STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR			
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
_	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION			
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy request a one (1) year extension of the State APD for the referenced well. Approved by the Unstablish 2014 Oil, Gas and Mining Date: By:						
NAME (PLEASE PRINT) Malia Villers	PHONE NUMBER 303 397-3670	TITLE Lead Permitting Analyst				
SIGNATURE N/A		DATE 10/20/2014				

Sundry Number: 56860 API Well Number: 43047387830000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047387830000

API: 43047387830000

Well Name: KC 14-33E

Location: 0712 FSL 1807 FWL QTR SESW SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 11/7/2006

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

owing to a checking of some femical to the approacher, which checks so verifical
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Malia Villers Date: 10/20/2014

Title: Lead Permitting Analyst Representing: XTO ENERGY INC



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

November 12, 2015

Malia Villers XTO Energy Inc. P.O. BOX 6501 Englewood, CO 80155

43-047-38783

Re: APDs Rescinded for XTO Energy Inc., Uintah County

Dear Ms. Villers:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded effective November 11, 2015.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc:

Well File

Bureau of Land Management, Vernal



Operator	API Number	Well Name↑	Work Type†	Date Approved†	Date Permit Will Expire
XTO ENERGY INC	4304738783	KC 14-33E	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738784	LCU 11-35F	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738788	LCU 6-10H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738789	LCU 13-10H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738790	LCU 11-11H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304738791	LCU 3-12H	DRILL	11/07/2006	11/07/2015
XTO ENERGY INC	4304736047	HCU 15-31F	DRILL	11/08/2004	11/08/2015
XTO ENERGY INC	4304737361	HCU 2-28F	DRILL	11/10/2005	11/10/2015
XTO ENERGY INC	4304739785	RBU 13-15F	DRILL	11/19/2007	11/19/2015
XTO ENERGY INC	4304739787	RBU 6-22F	DRILL	11/19/2007	11/19/2015
XTO ENERGY INC	4304737423	RBU 2-21F	DRILL	11/29/2005	11/29/2015
XTO ENERGY INC	4304738889	KC 9-31E	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738890	KC 13-31E	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738891	KC 12-33E	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738892	LCU 7-10H	DRILL	11/29/2006	11/29/2015
XTO ENERGY INC	4304738893	LCU 1-12H	DRILL	11/29/2006	11/29/2015